

2020-04-15

# Antimony in paints and enamels of everyday items

Turner, Andrew

<http://hdl.handle.net/10026.1/15417>

---

10.1016/j.scitotenv.2020.136588

Science of the Total Environment

Elsevier

---

*All content in PEARL is protected by copyright law. Author manuscripts are made available in accordance with publisher policies. Please cite only the published version using the details provided on the item record or document. In the absence of an open licence (e.g. Creative Commons), permissions for further reuse of content should be sought from the publisher or author.*

# **Antimony in paints and enamels of everyday items**

Andrew Turner<sup>1\*</sup>, Montserrat Filella<sup>2</sup>

<sup>1</sup>School of Geography, Earth and Environmental Sciences, University of Plymouth, Drake Circus, Plymouth PL4 8AA, UK

<sup>2</sup>Department F.-A. Forel, University of Geneva, Boulevard Carl-Vogt 66, CH-1205 Geneva, Switzerland

\*[aturner@plymouth.ac.uk](mailto:aturner@plymouth.ac.uk)

Accepted 6<sup>th</sup> January 2020

<https://doi.org/10.1016/j.scitotenv.2020.136588>

## Abstract

Concentrations of antimony have been determined for paints and enamels that are available to the consumer or accessible to the public by x-ray fluorescence spectrometry. The metalloid was only present in consumer paints of a speciality (e.g. artistic) nature, but was common in old household paints as an anti-chalking agent and in brightly-coloured contemporary exterior paints (on roads, street furniture and playground equipment, for example) as a colour fastener with concentrations ranging from a few hundred to about 25,000  $\mu\text{g g}^{-1}$ . Antimony was also found in contemporary container glass and ceramic products as an additive or opacifier and as a colour fastener in enamels at concentrations up to a few thousand  $\mu\text{g g}^{-1}$ . Overall, the yellow pigment, lead antimonite, was only evident in two ceramic products, with Sb concentrations exceeding 62,800  $\mu\text{g g}^{-1}$ . Available data in the literature suggests that, while Sb concentrations up to 30  $\mu\text{g g}^{-1}$  are bioaccessible in exterior paints and that concentrations of up to 20  $\text{mg L}^{-1}$  are migratable in some ceramicware, no relevant regulations are currently in place. Given our lack of understanding of the health impacts of Sb, more studies on its toxicity and mobility from commonly encountered products are required.

**Keywords:** antimony; paints; enamels; ceramics; glass; XRF

## 1. Introduction

Antimony (Sb) has been used as a pigment, and mainly as antimony sulphide and lead antimonite, for several thousand years (Aldersey-Williams, 2011; Schwarz-Schampera, 2014). Currently, Sb has the status of a technologically-critical element that is essential for economic development, and although the principal present uses are in antimonial lead, as a flame retardant synergist in textiles and plastics and as a catalyst (e.g. in the production of polyethylene terephthalate, PET), the element is still used in pigments, ceramic glaze and glass (Orisakwe, 2012; Dupont et al., 2016). The most recent European data available indicate that Sb employed as an additive in glass manufacture represents 1% (250 t) of total use while application in pigments, paints and ceramics constitutes about 4.5% (1100 t); these values compare with 3.9% in PET production and 32.9% in flame retardant synergist manufacture (European Communities, 2008). In addition to these applications, Sb readily and widely contaminates many contemporary consumer plastics at low levels through the recycling of electronic and PET-based products (Turner and Filella, 2017).

While the behaviour of Sb in different environmental compartments is relatively well-known, or at least has been extensively studied (Filella et al., 2009), the toxicological implications of its pervasiveness in everyday products are far less understood. Specifically, the occurrence and fate of Sb as a catalyst or synergist have received recent attention (Haldimann et al., 2013; Snedeker, 2014; Turner and Filella, 2017), with concentrations migratable from the matrix regulated for (PET) food containers (European Commission, 2005) and children's toys (European Parliament and the Council of the European Union, 2009). However, its occurrence, function, mobility and potential impacts in contemporary paints, consumer glass and ceramicware are poorly documented, despite the obvious exposure routes arising from these applications.

In this study, we examined the occurrence of Sb in the paints and enamels of various consumer goods and everyday items that have been purchased new or that are in circulation and in extant applications on structures which the public are exposed to and where the presence and/or mobility of other elements, like Cd, Cr(VI) and Pb, are highly regulated on environmental and health grounds (Sheets, 1999; Turner, 2019). Measurements of Sb were made *in situ* or in the laboratory by energy dispersive x-ray fluorescence (XRF) spectrometry and relevant information in the literature on its migration from any applications was reviewed. The investigation complements an earlier study that determined the occurrence and distribution of Sb as catalytic residue or a flame retardant synergist in consumer plastics using the same protocols and techniques (Turner and Filella, 2017).

## **2. Materials and methods**

About 400 measurements of Sb have been performed on distinct regions (in terms of colour or texture) of 335 samples acquired from or located within south west England. Many of the samples had been measured as part of independent research projects (Turner et al., 2015; Turner et al., 2016; Turner and Solman, 2016; Turner, 2019a) and here published and unpublished data on Sb have been compiled, while other samples were analysed specifically for the purposes of the present study. The painted and enameled samples are described and categorised below.

- (1) “Interior extant paint” on interior walls, doors, frames, skirting boards and floors of various private households in the city of Plymouth ranging in age from 50 to 100 years;
- (2) “Exterior extant paint” on the exteriors of these and other private households and including walls, guttering and timber;
- (3) “Municipal extant paint” on external wooden, tarmacked and metallic structures and street furniture accessible to the public in the city of Plymouth, including roads, post boxes, phone boxes, benches, gates and playground equipment;

- (4) “Extant boat paint” applied to the hull, decking and cabin of pleasure craft or small commercial vessels located on the coastal foreshores in the vicinity of Plymouth and that were either abandoned or in use;
- (5) “Consumer paint” for internal and external decoration or for artwork and that had been purchased within the past five years;
- (6) “Painted toys/equipment”: the paint on wooden and metallic toys and other consumer items (e.g. tools, storage tins, artefacts) around the household;
- (7) “Consumer bottle enamel”: the decorated enamels on glass for the containment and sale of wine, beer and food products;
- (8) “Drinking glass enamel”; the enamels on glassware for drinks and other food-contact items purchased new or secondhand;
- (9) “Ceramicware enamel”: the enameled decorations and glaze of (mainly food-contact) ceramicware in circulation and purchased new or secondhand or loaned from colleagues.

For each sample, the condition and principal colour (or colours) were noted, along with any distinguishing signage (e.g. place of manufacture). For intact extant paints, and to avoid disturbance or damage to the surface, Sb and other elements that included Br, Cl, Ni, Pb, Ti and Zn, were measured *in situ* and on each distinctive colour and, where possible, the undecorated substrate of structures using a battery-operated Niton XL3t 950 He GOLDD+ portable XRF spectrometer. Here, the 8-mm diameter detector window of the instrument, containing the 200  $\mu$ A-50 kV x-ray source and large area drift detector, was pointed directly over the area to be measured with the aid of real-time video footage projected on to the touchscreen display through a charged-couple device camera. Counting was activated by the trigger mechanism of the XRF spectrometer for a period of between 30 and 60 seconds in a “plastics” mode, whose performance has been verified by independent measurements of acid digests by inductively

coupled plasma spectrometry (Turner, 2019b). Successive measurements were made at 50 kV-40  $\mu$ A and 20 kV-100  $\mu$ A and employing a thickness correction of between 0.05 and 0.1 mm. For flakes of paint carefully retrieved from structures, new paints purchased in hardware stores that had been applied by brush to a series of glass or cardboard slides and air-dried for 24 to 48 h, and new and secondhand ceramic and glass products of less than 200 mm in length, the XRF was operated under the same conditions but in the laboratory while housed nose-upwards in an accessory stand and activated remotely via USB. To discriminate Sb present in any décor of these products from Sb in the glass or ceramic glaze, readings were also taken on undecorated regions of the substrate, where possible. For products greater than 200 mm in length the surface to be measured was cradled in a radiation apron on a stainless steel table and the XRF operated likewise but handheld.

Elemental concentrations (in  $\mu\text{g g}^{-1}$ ) were derived from secondary (fluorescent) x-ray spectral peaks using standardless fundamental parameters software. Polyethylene Niton reference discs impregnated with various elements (including Sb) were analysed at regular intervals throughout each measurement session and returned concentrations that were within 15% of certified values. The limit of detection for Sb, defined as three standard counting errors of background intensity (and derived from errors in samples that did not return a signal for Sb) varied according to the precise matrix and thickness but was generally in the range 40 to 100  $\mu\text{g g}^{-1}$ . Precision, derived from quintuplicate measurements of the same location on a range of samples, was always better than 20%.

### **3. Results and discussion**

#### *3.1. Occurrence, sources and concentrations of Sb*

Table 1 shows the number of samples considered in each category and the number of cases in which Sb was detected by XRF spectrometry, along with summary statistics of Sb concentrations. Note that where Sb was detected at multiple locations of a sample (for example, on distinctly different colours), the average detectable concentration and principal colour have been recorded. Also shown in Table 1 for each category are the colours of the samples that returned the highest Sb concentrations and the most common colours that returned detectable Sb, as well as the number of cases in which Sb was detected with Pb at a concentration above  $100 \mu\text{g g}^{-1}$ .

Overall, Sb was detected in at least one region of about a third of all samples tested and detection frequency exceeded 30% for extant paints (with the exception of those on boats), the enamels on drinking glasses and ceramicware products. Detection frequency was lowest on painted toys and household equipment and the enamels of consumer bottles. Antimony was detected in all colours, and including the colourless or lightly coloured glass of some products, but most commonly occurred in articles coloured yellow, red (including pink) or shades of white. Significantly, Pb was present at concentrations above  $100 \mu\text{g g}^{-1}$  in nearly 90% of samples where Sb was detected and across all sample categories and among all colours.

The highest concentrations of Sb (above  $50,000 \mu\text{g g}^{-1}$ ) were encountered with concentrations of Pb above  $100,000 \mu\text{g g}^{-1}$  in two bright yellow ceramic items (a tea cup and plate, with the XRF spectra of the former illustrated in Figure 1a). These are the only clear cases in which the pigment, lead antimonite or Naples yellow (whose theoretical molecular formula is  $\text{Pb}_2\text{Sb}_2\text{O}_7$ ), appears to have been used, and where excess Pb can be attributed to its additional use in the glazing of these products. The pigment may have been used in some older interior and exterior paints (where Sb concentrations exceeded  $20,000 \mu\text{g g}^{-1}$ ) but here concentrations of Pb were lower than the required stoichiometry of the compound and results and any relationships with



colour may have been confounded by the effects of multiple layers of different paint formulations measured *in situ*.

Regarding paints available to the contemporary consumer, Sb was present at concentrations of a few thousand  $\mu\text{g g}^{-1}$  in two artists paints containing the bright red pigment, cadmium sulphoselenide (CI Pigment Red 108), and exemplified by the XRF spectrum in Figure 1b, and a speciality leaded paint coloured by lead chromate molybdate sulphate red (CI Pigment Red 104), but was not detected in any paints for internal or external decoration. This suggests that Sb detected in extant paints of private properties arises from its presence in older applications, and a co-association with Pb may simply reflect the historical use of leaded paints in the same era. Antimony trioxide (CI Pigment White 11) was added to anatase titanium dioxide (CI Pigment White 6) to reduce chalking of the primary pigment before inherently antichalking formulations were available (Abel, 2000) and this may explain the presence of Sb in white extant paints in association with high concentrations of Ti (see XRF spectrum in Figure 1c). Antimony trioxide is, however, unlikely to be present (additionally) as a flame suppression synergist because concentrations of Cl and Br (indicators of halogenated flame retardants) were always too low to provide any form of fire retardancy (typically a few percent w/w; National Materials Advisory Board, 1970).

In extant municipal paints and boat paints, Sb was usually present at concentrations ranging from 1000 to 10,000  $\mu\text{g g}^{-1}$  in formulations that were brightly coloured, and in particular in reds and yellows. In most cases, the XRF spectrum suggested that the primary pigment for colour was lead chromate (CI Pigment Yellow 34), lead chromate molybdate sulphate or bismuth vanadate (CI Pigment Yellow 184) (Figure 1d). Clearly, Sb is not used in these cases for colour itself but appears to be used as a fastener where colour protection from UV radiation is required (USAC, 2017).

Among the glass containers and drinking vessels, including newly-purchased articles, Sb was present in the glass itself in three products, presumably as a fining component or decolourising agent (Grund et al., 2010), and appeared to be used as a colour fastener on the brightly coloured enamels of ten products, with maximum Sb concentrations in the glass and enamel of about 4000  $\mu\text{g g}^{-1}$  and 8000  $\mu\text{g g}^{-1}$ , respectively. Multiple measurements of ceramicware in circulation suggested that Sb was present in the glaze and uncoloured enamels of 12 products and at concentrations ranging from about 1000 to 3000  $\mu\text{g g}^{-1}$ , possibly as an opacifier in articles fired at low temperatures (Demont et al., 2012), and in the coloured enamels of 15 products. As above, Sb was present as a pigment (lead antimonite) in two cases but appeared to be more commonly encountered in significantly lower concentrations (1000 to 4500  $\mu\text{g g}^{-1}$ ), presumably as a colour fastener for other pigments.

### *3.2. Migration and potential environmental and health impacts of Sb*

Given concerns about the toxicity of Sb (IARC, 1989; NTP, 2018), the lack of regulations that directly apply (or that have been applied) to the sample types considered herein and the data presented in Table 1 is surprising. The most relevant regulation concerns material like paint, that can be scraped off children's toys, where a maximum migratable limit (mobilised by 0.07 M HCl) is 560  $\mu\text{g g}^{-1}$  according to the amended EU Toy Safety Directive (European Parliament and the Council of the European Union, 2009). However, the results reported in Table 1 suggest that the type of paint used on children's toys and other household wooden and metallic artefacts rarely contains detectable Sb. Whether this reflects attempts to avoid Sb in such products or simply results from no requirement for the metalloid in these applications is unclear. Perhaps of greater concern to human health in this perspective is the use of Sb as a fastener in brightly coloured paints used on public playground equipment. The highest concentration of Sb returned for such equipment was about 6000  $\mu\text{g g}^{-1}$ , with an earlier study revealing that up to 0.56 % of Sb in these formulations was accessible to dilute HCl (Turner et al., 2016). This suggests about

30  $\mu\text{g g}^{-1}$  of Sb in playground paint could be accessible to children through inadvertent ingestion. While this concentration is well below the limit stipulated by the Toy Safety Directive, it should be noted that, in the majority of cases considered here, Sb was co-associated with high concentrations of lead and that any synergistic effects of these elements on human health are unknown.

Much recent attention has focussed on the migration of Sb from single-use PET food-contact items like water bottles and ready meal trays. Regardless of storage conditions, measured concentrations of Sb in bottled water have not exceeded the European Commission limit for natural mineral water of 5  $\mu\text{g L}^{-1}$  or the US Environmental Protection Agency maximum contaminant level of 6  $\mu\text{g L}^{-1}$  (Shotyk et al., 2006; Greifenstein et al., 2013; Payan et al., 2017; Roje and Sutalo, 2019). While concentrations of Sb reported in food contained and cooked in PET packaging sometimes exceed the 40  $\mu\text{g kg}^{-1}$  limit specified by European Union Regulation 10/2011, typical food consumption results in intakes of Sb that are significantly below the World Health Organization (WHO) tolerable daily intake (TDI) of 6  $\mu\text{g kg}^{-1}$  (Haldimann et al., 2007; Whitt et al., 2016). Antimony concentrations in contemporary PET as residual catalyst (typically 200 to 300  $\mu\text{g g}^{-1}$ ; Westerhoff et al., 2008) are, however, an order of magnitude lower than concentrations in many articles of ceramicware and glassware reported in the present study. Moreover, the latter are subject to sustained or long-term use and to foodstuffs that may be relatively acidic.

Despite the occurrence of Sb in historical and contemporary food-contact ware, the degree of its migration from such articles is poorly documented. Burns (1935) studied the migration of Sb compounds from the enamel (and glaze) of a ceramic jug that contained 9800  $\mu\text{g g}^{-1}$  Sb using various preparations of 0.5% citric acid solution. Antimony concentrations of up to 5.6  $\text{mg L}^{-1}$  were detected colorimetrically in successive 18-hour extracts of the original article in which the acid was introduced while boiling, but extraction rose to 20  $\text{mg L}^{-1}$  when the jug had

been scoured. Although the author was unable to definitively state that such concentrations were toxic, the prohibition of Sb in enamelware was called for. More recently, Demont et al. (2012) studied the mobilisation of Sb and other elements from customised ceramicware that had been treated with various pigments (including  $\text{Sb}_2\text{O}_3$  as an opacifier, but of unspecified concentration) and glazed. Extraction after 24 h was greatest, and up to about  $0.2 \text{ mg L}^{-1}$ , for 4% acetic acid but tests were not performed after disturbing the glaze to simulate sustained usage and washing. Given the high levels of Sb in some of the ceramicware and enamels studied herein and regulations limiting both the concentrations and migration of lead and cadmium from ceramicware and the lip area (within 2 cm of the rim) of decorated drinking glasses (Council of the European Communities, 1984; Rebeniak et al., 2014) it would seem prudent to investigate the rates and mechanisms of Sb migration from food-contact articles more systematically. The potential risks arising from migration should also be evaluated with respect to the WHO  $6 \text{ } \mu\text{g kg}^{-1}$  TDI for the metalloid.

Unlike Sb-containing electronic plastics and PET food packaging, and, with the exception of container glassware, the products and applications described herein are not generally recycled. Thus, the use of Sb in ceramics, enamels and paints requires its disposal through landfill or incineration, both of which are challenging because of regulatory or environmental constraints on the metalloid in the waste stream. For example, in Europe the limit value for Sb leaching from granular solid waste (by deionised water and according to standard batch test EN 12457) is among the lowest for all elements reported, and above  $5 \text{ } \mu\text{g Sb g}^{-1}$  waste is classified as hazardous (Environment Agency, 2013). With regard to incineration, and despite the volatility of many antimony compounds, about 50% of the metalloid remains in bottom ashes due to interactions with other chemicals in the fuel bed and the consequent formation of thermally stable antimonates (Paoletti et al., 2001). Because of the leaching of Sb from incinerator bottom

ashes, the EU considers the element to be the most problematic in terms of the reuse and recovery potential of waste material (European Communities, 2008).

#### **4. Conclusions**

Antimony has a variety of applications in paints, glass and ceramicware that are available to the consumer and accessible to the public. It is commonly encountered in old domestic paints as an anti-chalking agent but appears to be limited to contemporary consumer paints of a speciality nature where the metalloid is used as a fastener for brightly coloured, and often toxic, primary pigments. It is more likely to be found in contemporary paints applied to exterior municipal structures, like roads, boats, playground equipment and telephone kiosks, where it serves as a fastener to reduce the deterioration of bright colours. Antimony is present in glass and glazed ceramics and appears to be added as a fastener for pigments in enamels but clear evidence of its occurrence as the primary pigment, lead antimonite, was restricted to two bright yellow articles of ceramicware. Little information exists on the migration or accessibility of Sb in paints, glass and ceramicware but given concerns about its health risks and that regulations exist for other metals in such products, more systematic research into Sb mobility is called for.

#### **Acknowledgements**

We are grateful to Alex Taylor, Kevin Solman and Andy Fisher, UoP, for technical support throughout the study.

## References

- Abel, A.G., 2000. Pigments for paint. In: Lambourne, R., Strivens, T.A. (Eds.), *Paint and Surface Coatings: Theory and Practice*. Woodhead Publishing, Cambridge, UK, pp. 91–165.
- Aldersey-Williams, H., 2011. *Periodic Tales. The Curious Lives of the Elements*. Penguin Books, 2011.
- Burns, R.H., 1935. Antimony compounds extracted from enamelware by citric acid solutions. *Analyst* 60, 220–222.
- Council of the European Communities, 1984. Council Directive of 15 October 1984 on the approximation of the laws of the Member States relating to ceramic articles intended to come into contact with foodstuffs (84/500/EEC). *Official Journal of the European Communities* No L 277/12.
- Demont, M., Boutakhrit, K., Fekete, V., Bolle, J., Van Loco, J., 2012. Migration of 18 trace elements from ceramic food contact material: Influence of pigment, pH, nature of acid and temperature. *Food and Chemical Toxicology* 50, 734–743.
- Dupont, D., Arnout, S., Jones, P.T., Binnemans, K., 2016. Antimony recovery from end-of-life products and industrial process residues: A critical review. *Journal of Sustainable Metallurgy* 2, 79–103.
- Environment Agency 2013. *Waste Sampling and Testing for Disposal to Landfill*. EA, Bristol, 36pp.
- European Commission, 2005. Commission Directive 2005/79/EC of 18 November 2005 amending Directive 2002/72/EC relating to plastic materials and articles intended to come into contact with food. *Official Journal of the European Union* L302, 35–45.
- European Communities, 2008. *European Union Risk Assessment Report. Diantimony trioxide*. DRAFT. CAS No: 1309-64-4. EINECS No: 215-175-0. RISK ASSESSMENT Sweden.
- European Parliament and the Council of the European Union, Directive 2009/48/EC of the European Parliament and of the Council of 18 June 2009 on the safety of toys, *Official Journal of the European Union* L170/1, 2009.
- Filella, M., Williams, P.A., Belzile, N., 2009. Antimony in the environment: knowns and unknowns. *Environmental Chemistry* 6, 95–105.
- Greifenstein, M., White, D.W., Stubner, A., Hout, J., Whelton, A.J., 2013. Impact of temperature and storage duration on the chemical and odor quality of military packaged

299 water in polyethylene terephthalate bottles. *Science of Total Environment* 456–457, 376–  
300 383.

301 Grund, L., Jonson, B., Lundstedt, K., 2010. The influence of basicity on oxygen activity and  
302 antimony oxide fining efficiency in alkali alkaline earth aluminosilicate glasses. *Glass*  
303 *Technology – European Journal of Glass Science and Technology Part A* 50, 241–246.

304 Haldimann, M., Blanc, A., Dudler, V., 2007. Exposure to antimony from polyethylene  
305 terephthalate (PET) trays used in ready-to-eat meals. *Food Additives and Contaminants*  
306 24, 860-868.

307 Haldimann, M., Alt, A., Blanc, A., Brunner, K., Sager, F., Dudler, V., 2013. Migration of  
308 antimony from PET trays into food simulant and food: determination of Arrhenius  
309 parameters and comparison of predicted and measured migration data. *Food Additives*  
310 *and Contaminants A* 30, 587–598.

311 IARC, 1989. Antimony trioxide and antimony trisulfide. In: *Some Organic Solvents, Resin*  
312 *Monomers and Related Compounds, Pigments and Occupational Exposures in Paint*  
313 *Manufacture and Painting. IARC Monographs on the Evaluation of Carcinogenic Risks*  
314 *to Humans, Volume 47, 291–305.*

315 NTP, 2018. Report on Carcinogens Monograph on Antimony Trioxide October, Office of the  
316 Report on Carcinogens, National Toxicology Program, National Institute of  
317 Environmental Health Sciences, National Institutes of Health, Research Triangle Park,  
318 US.

319 National Materials Advisory Board, 1970. Trend in Usage of Antimony. Report of the panel  
320 on antimony of the Committee on the Technical Aspects of Critical and Strategic  
321 Materials. Publication NMAB 274, National Academy of Sciences, Washington DC.

322 Orisakwe, O.E., 2012. Other heavy metals: antimony, cadmium, chromium and mercury. In:  
323 *Toxicity of Building Materials*, ed. F. Pacheco-Torgal, S. Jaladi and A. Fucic. Woodhead  
324 Publishing, Oxford, pp297–333.

325 Paoletti, F., Sirini, P., Seifert, H., Vehlow, J., 2001. Fate of antimony in municipal solid waste  
326 incineration. *Chemosphere* 42, 533-543.

327 Payan, L., Poyatos, M.T., Munoz, L., La Rubia, M.D., Pacheco, R., Ramos, N., 2017. Study  
328 of the influence of storage conditions on the quality and migration levels of antimony in  
329 polyethylene terephthalate-bottled water. *Food Science and Technology International* 23,  
330 318–327.

331 Rebeniak, M., Wojciechowska-Mazurek, M., Mania, M., Szynal, T., Strzelecka, A., Starska,  
 332 K., 2014. Exposure to lead and cadmium released from ceramics and glassware intended  
 333 to come into contact with food. *Roczniki Państwowego Zakładu Higieny* 65, 301-309.  
 334 Roje, V., Sutalo, P., 2019. Trace and major elements in Croatian bottled waters. *Journal of*  
 335 *Geochemical Exploration* 201, 79–87.  
 336 Schwarz-Schampera, U., 2014. Antimony. In: *Critical Metals Handbook*, ed. G.Gunn. Wiley,  
 337 Chichester. pp 70–98.  
 338 Sheets, R.W., 1999. Acid extraction of lead and cadmium from newly-purchased ceramic and  
 339 melamine dinnerware. *Science of the Total Environment* 234, 233-237.  
 340 Shoty, W., Krachler, M., Chen, B., 2006. Contamination of Canadian and European bottled  
 341 waters with antimony from PET containers. *Journal of Environmental Monitoring* 8,  
 342 288–292.  
 343 Snedeker, S.M., 2014. Antimony in food contact materials and household plastics: Uses,  
 344 exposure, and health risk considerations. In: *Toxicants in Food Packaging and Household*  
 345 *Products*, ed. S.M. Snedeker, Springer, London, pp 205–230.  
 346 Turner, A., 2019a. Heavy metals in the glass and enamels of consumer container bottles.  
 347 *Environmental Science and Technology* 53, 8398–8404.  
 348 Turner, A., 2019b. Trace elements in laundry dryer lint: A proxy for household contamination  
 349 and discharges to waste water. *Science of the Total Environment* 665, 568-573.  
 350 Turner, A., Filella, M., 2017. Field-portable-XRF reveals the ubiquity of antimony in plastic  
 351 consumer products. *Science of the Total Environment* 584–585, 982–989.  
 352 Turner, A., Solman, K.R., 2016. Lead in exterior paints from the urban and suburban environs  
 353 of Plymouth, south west England. *Science of the Total Environment* 547, 132–136.  
 354 Turner, A., Comber, S., Rees, A.B., Gkiokas, D., Solman, K., 2015. Metals in boat paint  
 355 fragments from slipways, repair facilities and abandoned vessels: An evaluation using  
 356 field portable XRF. *Talanta* 131, 372–378.  
 357 Turner, A., Kearn, E.R., Solman, K.R., 2016. Lead and other toxic metals in playground paints  
 358 from South West England. *Science of the Total Environment* 544, 460–466.  
 359 USAC, 2017. United States Antimony Corporation: Uses and Formulations.  
 360 [http://usantimony.com/uses\\_formulations.htm](http://usantimony.com/uses_formulations.htm) accessed 9/2019.  
 361 Westerhoff, P., Prapaipong, P., Shock, E., Hillaireau, A., 2008. Antimony leaching from  
 362 polyethylene terephthalate (PET) plastic used for bottled drinking water. *Water Research*  
 363 42, 551–556.



364 Whitt, M., Brown, W., Danes, J.E., Vorst, K.L., 2016. Migration of heavy metals from  
365 recycled polyethylene terephthalate during storage and microwave heating. Journal of  
366 Plastic Film and Sheeting 32, 189-207.  
367

Table 1: Occurrence, distribution and concentrations of Sb in paints, ceramicware and container glass. Categories are shown with the number of samples analysed,  $n$  (column 2) is the number of cases in which Sb was detected, mean, median, minimum and maximum concentrations are in  $\mu\text{g g}^{-1}$ , colour<sub>max</sub> is the colour of the article returning the highest Sb concentration, colour<sub>com</sub> is the colour where Sb was most commonly detected, and Sb-Pb denotes the number of cases in which Sb co-existed with Pb above a concentration of  $100 \mu\text{g g}^{-1}$ .

	$n$	mean	median	min	max	colour <sub>max</sub>	colour <sub>com</sub>	Sb-Pb
Interior extant paint ( $n = 25$ )	10	8670	7630	2610	24500	yellow	white ( $n = 6$ )	10
Exterior extant paint ( $n = 25$ )	9	2530	1020	260	8540	brown	white ( $n = 3$ )	9
Municipal extant paint ( $n = 93$ )	38	2220	1190	147	27500	grey	yellow ( $n = 18$ )	32
Extant boat paint ( $n = 21$ )	6	3000	993	176	8080	red	red ( $n = 3$ )	4
Consumer paints ( $n = 18$ )	3	2070	2670	520	3020	red	red ( $n = 3$ )	3
Painted toys/equipment ( $n = 33$ )	2	318	318	215	420	red	red ( $n = 2$ )	1
Consumer bottle enamel ( $n = 20$ )	3	1290	1610	629	1640	green	various ( $n = 1$ )	2
Drinking glass enamel ( $n = 31$ )	10	2310	1510	507	7790	yellow	green ( $n = 2$ )	8
Ceramicware enamel ( $n = 69$ )	23	6430	933	308	62800	yellow	yellow ( $n = 6$ )	22
Total ( $n = 335$ )	104	3360	1180	147	62800	yellow	yellow ( $n = 29$ )	91

Figure 1: XRF spectra of four samples and shown as counts per second versus energy from 0 to 35 keV. (a) A second hand teacup pigmented with lead antimonate and glazed with lead oxide and tin oxide; (b) an artists' paint pigmented with cadmium sulphoselenide and where Sb is present, presumably, as a fastener; (c) the exterior paint of a private household where Sb is likely present as an anti-chalking agent with titanium dioxide and lead; (d) a galvanised steel playground gate coloured by bismuth vanadate and where Sb is present as a colour fastener.

